

TWO POST AUTOMOTIVE LIFTS

4 Ton Clear Floor
4 Ton Floor Plate



World-Class Safety
and Reliability

4 TON CLEAR FLOOR 4 TON FLOOR PLATE



Model EELR714

4 TON CLEAR FLOOR

Overall Height: 3515 / 3815 mm

Overall Width: 3397 / 3647 mm

Flexibility

- Adjustable height and width options to accommodate vary service bay sizes

Safety

- Padded overhead shut-off bar and large rubber door guards prevent damages
- Thicker pulley cables and steel pulleys for improved durability

Surface

- Premium power coat finish provide long lasting durability

Arm

- Long reaching three stage front and rear arms 720 mm to 1320 mm
- It also comes with adjustable rubber screw pads inserts

Best in class design of uncompromising quality and safety

4 TON FLOOR PLATE

Floor Plate

- 2831 mm overall column height is an ideal solution for low ceiling workshop

System

- Heavy duty chain over electric hydraulic lifting with cable equalization

Safety



- Heavy duty column with symmetrical 2-stage front and rear arm




Model EELR715

TWO POST AUTOMOTIVE LIFTS

Standard 3-Stage arm enable symmetric and asymmetric lifting capabilities



2-Stage arms for
4 Ton Floor Plate



3-Stage arms for
4 Ton Clear Floor



Aluminium Housing
Power Pack
(Optional)

Available in:
1) 3PH, 380V (50 Hz)
2) 1PH, 220V (50/60 Hz)



Heavy duty height adaptor
(Optional)

Hofmann manufactures a complete line of Automotive Wheel Service Equipment



Wheel Balancer



Tire Changer



Wheel Aligner

PRODUCT FEATURES & SPECIFICATIONS

	4 Ton Clear Floor	4 Ton Floor Plate
Capacity	4 Ton	4 Ton
Overall Width	3397 / 3647 mm	3402 mm
Width between Column	2747 / 2997 mm	2752 mm
Drive-thru	2415 / 2665 mm	2437 mm
Overall Height	3515 / 3815 mm	2831 mm
Under Bar Clearance	3403.5 / 3703.5 mm	NA
Lifting Pad	106-153 mm	100-147 mm
Front Arm	3 Stage (720-1320 mm)	2 Stage (802-1202mm)
Rear Arm	3 Stage (720-1320 mm)	2 Stage (802-1202mm)
Design	Symmetrical	
Secondary Lock	Dual Point Mechanical	

SINGAPORE

Snap-on Tools Singapore Pte Ltd
25 Tagore Lane, #01-02,
Singapore 787602
Tel: (65) 6451-5570 • Fax: (65) 6451-5574

INDONESIA

Snap-on Tools Singapore Pte Ltd - Indonesia Rep. Office
Graha Pratama Building, 20th Floor
Jl. M.T. Haryono Kav 15, Jakarta 12810, Indonesia
Tel: (62-21) 8370-9611 • Fax: (62-21) 8370-9612

MALAYSIA

Snap-on Tools Singapore Pte Ltd - Malaysia Branch
Unit A-2-3, Block A, 3-2, Jaya One
No. 72A, Jalan Universiti
46200 P.J., Selangor, Malaysia
Tel: (603) 7957-3088 • Fax: (603) 7958-2088

PHILIPPINES

Snap-on Tools Singapore Pte Ltd - Philippines Branch
4/F, 2053 Building, Edison Street, San Isidro
Makati City, 1234 Philippines
Tel: (63-2) 843-7935 • Fax: (63-2) 843-7730

TAIWAN

Snap-on Tools Singapore Pte Ltd - Taiwan Branch
3F-4, #9 Wuquan 1st Road, New Taipei Industrial Park,
Xinzhuang District 24892, New Taipei City, Taiwan ROC
Tel: (886-2) 2298-9789 • Fax: (886-2) 2298-2288

HONG KONG

Snap-on Tools Hong Kong Limited
Unit 2010, 20/F, Laford Centre, 838 Lai Chi Kok Road
Cheung Sha Wan, Kowloon, Hong Kong
Tel: (852) 2370-3700 • Fax: (852) 2370-3400

KOREA

Snap-on Tools Korea
#505 & 506, BuCheon Techno Park Block 3,
Building 301, 365 SamJung-Dong, OhJung-Gu
Bucheon City, GyeongGi-do, Korea 421-809
Tel: (82-32) 326-7310 • Fax: (82-32) 326-7312

THAILAND

Snap-on Tools (Thailand) Co. Ltd.
5th Floor, Talomsim Building, 924 Rama 3 Road
Bangpongpang Yannawa, Bangkok 10120, Thailand
Tel: (66) 2294-9660 • Fax: (66) 2294-9665



Hofmann is part of Snap-on Group and has been partners to the automotive and tyre industries for decades. It is our goal to meet the latest customer requirements, combining user-friendly features with the latest technologies on the market. Therefore, specifications listed in this brochure may change without notice.

Snap-on is a trademark, registered in the United States and other countries, of Snap-on Incorporated. All rights reserved. All other marks are marks of their respective holders. © 2014 Snap-on Incorporated

02/14 25121404H